Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



Portland Wholesale Nursery Co.

Portland, Oregon

October 20, 1927

East Washington at Sixth St.

FRUIT TREE SEEDLINGS & OTHER LINING OUT STOCK

We book all Orders with the understanding that same shall be Void should injury befall the stock from Flood, Drought, Fire, Frost or other causes beyond control.

We exercise the greatest care to keep our varieties pure and true to name, and hold ourselves in readiness at all times to replace, on profer proof, all stock that may prove otherwise, or retund the amount paid. But it is mutually agreed between the purchaser and ourselves that we shall not at any time be liable for any amount greater than the original price.

JUL 6 1931

TERMS OF PAYMENT:

TO THE TRADE CNLY

1. CASH PLAN- If you send us cash with your order you may deduct 3% from the amount and we will pack it free of charge.

2. PART PAYMENT- If you will send us one third of the amount with

your order we will forward it C. O. D. for balance.

3. CHARGE ACCOUNT- On these our terms are sixty days to customers who have established their credit with us. New charge accounts will be opened only on receipt of satisfactory references with time for due investigation.

Stock from beds or field will be puddled and well packed in moss, and that from pots carefully wrapped so as to reach you in first class condition.

We recommend that orders for Lining Out Stock go forward by express and in the absence of definite instructions they will be shipped in that manner.

On orders for one thousand or more of one variety you may deduct one cent each from the list price provided it is \$8.00 or more per hundred, or if less than \$8.00 deduct one half cent.

PLEASE NOTE. In this list "C" indicates stock is grown from cuttings and "S" from seed. "o" indicates never transplanted, and each "x" one transplanting.

CONIFERS

							- CL	T:	imes			Price
								t	ransp	. Size	From I	Per 100
Arbory	ritae.	Am.	Golden-	Thuja	oc.	aur	38,	C	XX	12-15"	Field	\$15.00
1	1	Ħ	11	11	Ħ	11		C	XX	10-12"	10	12.00
1	t	11	11	tt	11	- 11		C	XX	8-10"	11	10.00
1	1	11	11	11	tt	Ħ		C	XX	6-8"	11	8.00
1	1	Am.	Globe- !	Thuja (oc. e	globe	osa	C	x	3-4"	2"Pots	8.00
1	1		en Berki					C	x	6-8"	Field	15.00
1	11	11		11 11	11	11	11	C	\mathbf{x}	4-6"	11	12.00
	11	11		tt II	11	Ħ	11	С	X	2-4"	11	8.00
Cedar	. Atla	s- Ce	drus at	lantice	a			S	X	6-8"	Beds	12.00
11			Jedrus d					S	0	4-6"	11	10.00
tı				libani				S	X	6-8"	11	12.00
Crypt			ume- C.	japoni	ca el	Lega:	ns	C	X	6-8"	3"Pots	12.00
	11	11		11		11		C	X	4-6"	3" "	10.00
Cynre	ss.Ita	lian-	- C.semp	ervire	ns fa	asti	giata	S	x	10-12"	Field	15.00
03 51 0		11	11	11		11	_	S	X	8-10"	11	12.00
11		11	tt	11		11		ន	X	6-8"	11	10.00

Cypress, Lawson- Chamacogyaris lawsonisms	CONIFERS: Con	ntinued	•				imes			Price
" " " " " " " " " " 18.00 " " " " " " " 18.00 " " " " " " " " 8 x 15-16" " 18.00 " " " " " " " " 8 x 15-16" " 18.00 " " " " " " " " 8 x 15-16" " 18.00 " " " " " " " " 8 x 10-12" " 12.00 " " " " " " " " 8 x 10-12" " 12.00 " " " " " " " " 8 x 46-8" " 10.00 " " " " " " " " " 8 x 46-8" " 10.00 " " " " " " " " " " " " 18.00 " " " " " " " " " " " 18.00 " " " " " " " " " " 18.00 " " " " " " " " " " 18.00 " " " " " " " " " 18.00 " " " " " " " " " 18.00 " " " " " " " " " 18.00 " " " " " " " " 18.00 " " " " " " " " 18.00 " " " " " " " " 18.00 " " " " " " " 18.00 " " " " " " " 18.00 " " " " " " " 18.00 " " " " " " " 18.00 " " " " " " " 18.00 " " " " " " " 18.00 " " " " " " " 18.00 " " " " " " " 8.00 " " " " " " 8.00 " " " " " " 8.00 " " " " " " 8.00 " " " " " " 8.00 " " " " " " 8.00 " " " " " " 8.00 " " " " " " 8.00 " " " " " " 8.00 " " " " " " " 8.00 " " " " " " 8.00 " " " " " " 8.00 " " " " " " 8.00 " " " " " " " 8.00 " " " " " " " 8.00 " " " " " 8.00 " " " " " " 8.00 " " " " " " 8.00 " " " " " " 8.00 " " " " " " 8.00 " " " " " " 8.00 " " " " " " 8.00 " " " " " " " 8.00 " " " " " " 8.00 " " " " " " 8.00 " " " " " " 8.00 " " " " " " 8.00 " " " " " " 8.00 " " " " " " 8.00 " " " " " " 8.00 " " " " " " 8.00 " " " " " " 8.00 " " " " " " 8.00 " " " " " " 8.00		C/2								
				ris						
							X			
							\mathbb{X}			15.00
			11		11		\mathbb{X}		11	12.00
			Ħ		11		X		11	10.00
" Scarab C. law. erecta alumi C x 18-15" " 18.00 " " " " " " " " " " C x 10-12" " 15.00 " " " " " " " " " C x 6-8" " 10-12.00 " " " " " " " " C x 6-8" " 10-0.00 " " " " " " " " C x 6-8" " 10-0.00 Fir, White- Abies concolor S 0 1-2" Beds 3.00 Hemlock, Cenada- Tsuga canadensis S 0 ½" " 2.06 Juniper, Chinese- Juniperus chinensis C x 4-6" Field 8.00 Juniper, Chinese- Juniperus hibernica C x 12-15" " 18.00 " " " " " " C x 2-4" " 5.00 " " " " " " C x 10-12" " 12.00 " " " " " " C x 10-12" " 12.00 " " " " " " C x 10-12" " 12.00 " " " " " " C x 10-12" " 10.00 " " " " " C x 10-12" " 10.00 " " " " " C x 10-12" " 10.00 " " " " " C x 6-8" " 8.00 " " " " " C x 10-12" " 10.00 " " " " " C x 10-12" " 10.00 " " " " " C x 10-12" " 10.00 " " " " " C x 10-12" " 10.00 " " " " " C x 10-12" " 10.00 " " " " " " C x 10-12" " 10.00 " " " " " " C x 10-12" " 10.00 " " " " " " C x 10-12" " 10.00 " " " " " " C x 10-12" " 10.00 " " " " " " C x 10-12" " 10.00 " " " " " " C x 10-12" " 10.00 " " " " " " C x 10-12" " 10.00 " " " " " " C x 10-12" " 10.00 " " " " " " C x 10-12" " 10.00 " " " " " " " C x 10-12" " 10.00 " " " " " " " C x 10-12" " 10.00 " " " " " " " C x 10-12" " 10.00 " " " " " " " C x 10-12" " 10.00 " " " " " " " C x 10-12" " 10.00 " " " " " " " C x 10-12" " 10.00 " " " " " " " C x 10-12" " 10.00 " " " " " " " C x 10-12" " 10.00 " " " " " " " C x 10-12" " 10.00 " " " " " " " " C x 10-12" " 10.00 " " " " " " " C x 10-12" " 10.00 " " " " " " " " C x 10-12" " 10.00 " " " " " " " " C x 10-12" " 10.00 " " " " " " " " C x 10-12" " 10.00 " " " " " " " " C x 10-12" " 10.00 " " " " " " " " C x 10-12" " 10.00 " " " " " " " " C x 10-12" " 10.00 " " " " " " " " " C x 10-12" " 10.00 " " " " " " " " " C x 10-12" " 10.00 " " " " " " " " " C x 10-12" " 10.00 " " " " " " " " " C x 10-12" " 10.00 " " " " " " " " " C x 10-12" " 10.00 " " " " " " " " " C x 10-12" " 10.00 " " " " " " " " " C x 10-12" " 10.00 " " " " " " " " " C x 10-12" " 10.00 " " " " " " " " " C x 10-12" " 10.00 " " " " " " " " " C x 10-12" " 10.00 " " " " " " " " " C x 10-12" " 10.0			**		11		X		71	8.00
	11	11	ř†		11	S	x	4-6"	11	6.00
	" Sca:	rab- C.	law. er	ecta	alumi	C	\times	13-15"	11	18.00
## ## ## ## ## ## ## ## ## ## ## ## ##	11	11	11	tt .	ti .	C	X	10-12"	17	15.00
	11	11 11	27 1	11	11	C	X	8-10"	11	12.00
Fir, White-Abies concolor Hemlock, Canada- Tsuga canadensis S	ii l	11 11	11	Ħ	TT .	C	x	6-8"	11	10.00
Hemlock, Canada—Tsuga canadensis	11	n n	11	11	11	\mathbf{C}	X	4-6"	11	8.00
Juniper, Chinese- Juniperus chinensis C x 2-4" " 5.00 " Trish- Juniperus hibernica C xx 12-15" " 18.00 " " " " " " " C xx 10-12" " 12.00 " " " " " " C xx 8-10" " 12.00 " " " " " " C xx 8-10" " 10.00 " " " " " " C xx 8-10" " 10.00 " " " " " " C xx 8-10" " 10.00 " " " " " " C x 8-10" " 10.00 " " " " " " C x 8-10" " 10.00 " " " " " " C x 8-10" " 10.00 " " Old Mexico- Pinus montaxumae S x x 1-2" " 5.00 " Old Mexico- Pinus montaxumae S x x 1-2" " 5.00 " Old Mexico- Pinus montaxumae S x x 1-2" " 5.00 " Old Mexico- Pinus montaxumae S x x 1-2" " 5.00 " Old Mexico- Pinus montaxumae S x x 1-2" " 5.00 " Old Mexico- Pinus montaxumae S x x 1-2" " 5.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " C x 8-10" " 18.00 " " " " " " C x 8-10" " 18.00 " " " " " " C x 8-10" " 18.00 " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " C x 8-10" " 18.00 " " " " " " C x 8-10" " 18.00 " " " " " " C x 8-10" " 18.00 " " " " " " C x 8-10" " 18	Fir, White-	Abies c	oncolor			S	0	1-2"	Beds	3.00
Juniper, Chinese- Juniperus chinensis C x 2-4" " 5.00 " Trish- Juniperus hibernica C xx 12-15" " 18.00 " " " " " " " C xx 10-12" " 12.00 " " " " " " C xx 8-10" " 12.00 " " " " " " C xx 8-10" " 10.00 " " " " " " C xx 8-10" " 10.00 " " " " " " C xx 8-10" " 10.00 " " " " " " C x 8-10" " 10.00 " " " " " " C x 8-10" " 10.00 " " " " " " C x 8-10" " 10.00 " " Old Mexico- Pinus montaxumae S x x 1-2" " 5.00 " Old Mexico- Pinus montaxumae S x x 1-2" " 5.00 " Old Mexico- Pinus montaxumae S x x 1-2" " 5.00 " Old Mexico- Pinus montaxumae S x x 1-2" " 5.00 " Old Mexico- Pinus montaxumae S x x 1-2" " 5.00 " Old Mexico- Pinus montaxumae S x x 1-2" " 5.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " C x 8-10" " 18.00 " " " " " " C x 8-10" " 18.00 " " " " " " C x 8-10" " 18.00 " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " C x 8-10" " 18.00 " " " " " " C x 8-10" " 18.00 " " " " " " C x 8-10" " 18.00 " " " " " " C x 8-10" " 18	Hemlock, Can	ada- Ts	uga cana	dens	sis	S	0	1 II	11	2.00
						C	X		Field	
	11	11	11		11	C	X	2-4"	11	
	" Iri:	sh- Jun	iperus h	iber	nica	C	XX	12-15"	17	
" " " " " " " " 10.00 " " " " " " " 3.00 " " " " " " " 3.00 " " " " " " 3.00 " " " " " " 3.00 " " " " " " 3.00 " " " " " " 3.00 " " " " " " 3.00 " " " " " " 3.00 " " " " " " 3.00 " " " " " " 3.00 " " " " " " 3.00 Pine, Mugho- Pinus montana mughus S x 1-2" " 5.00 Retinospora, Heath- R. ericoides C x 4-6" Field 8.00 " " " " " " " C x 2-4" " 5.00 " " " " " " " C x 3-10" " 18.00 " " " " " " C x 4-6" " 18.00 " " " " " " " C x 4-6" " 18.00 " " " " " " " C x 4-6" " 18.00 " " " " " " " C x 4-6" " 18.00 " " " " " " " C x 4-6" " 18.00 " " " " " " " C x 4-6" " 8.00 " " " " " " " C x 4-6" " 8.00 " " " " " " " C x 4-6" " 8.00 " " " " " " " C x 4-6" " 8.00 " " " " " " " C x 4-6" " 8.00 " " " " " " " C x 4-6" " 8.00 " " " " " " " C x 4-6" " 8.00 " " " " " " C x 4-6" " 18.00 " " " " " " C x 4-6" " 18.00 " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " " C x 8-10" " 18.00 " " " " " " " " C x 8-10" " 18.00 " " " " " " " " C x 8-10" " 18.00 " " " " " " " " " C x 8-10" " 18.00			-			С	XX	10-12"	11	
" " " " " " " C xx 6-8" " 8.00 " " " " " " " C x x 10-12" " 10.00 " " " " " " " C x 6-8" " 8.00 " " " " " " " C x 6-8" " 8.00 " " " " " " " C x 6-8" " 5.00 Pine, Mugho- Pinus montana mughus S x x 1-2" " 5.00 " " Old Mexico- Pinus montezumae S 0 2-4" Beds 5.00 Retinospora, Heath- R. ericoides C x 2-4" " 5.00 " " Moss- R. squarrosa veitchi C xx 10-12" " 20.00 " " " " " " " " C xx 8-10" " 18.00 " " " " " " " C xx 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " C x 8-10" " 18.00 " " " " " " C x 8-10" " 18.00 " " Plume- Cham. pisifera plumosa C x 10-12" " 20.00 " " Plume, Golden- C. p. aurea C x 10-12" " 20.00 " " Plume, Golden- C. p. aurea C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " C x 8-10" " 18.00 " " " " " " C x 8-10" " 18.00 " " " " " " C x 8-10" " 18.00 " " " " " " C x 8-10" " 18.00 " " " " " " C x 8-10" " 18.00 " " " " " " C x 8-10" " 18.00 " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " C x 8-10" " 18.00 " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " C x 8-10" " 18.00 " " " " " " C x 8-10" " 18.00 " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00 " " " " " " " C x 8-10" " 18.00	91 11		II	11		\mathbb{C}	XX	8-10"	11	
""" """ """ C x 3-10" " 8.00 """ """ """ C x 3-10" " 8.00 Pine, Mugho- Pinus montena mughus S x 1-2" " 5.00 "Old Mexico- Pinus montezumae S o 2-4" Beds 5.00 Retinospora, Heath- R. ericoides C x 4-6" Field 8.00 """ Moss- R. squarrosa veitchi C xx 10-12" " 20.00 """ """" " 20.00 """ """" " 20.00 """" """" " 20.00 """" """" " 20.00 """" """" " 20.00 """" """" " 20.00 """" """" " 20.00 """" """" " 20.00 """" """" """"" """""""" """" """" """"""""""" """"""""""""""""""""""""""""""""""""	f1 11		11	11		С	XX	6-8"	11	
""" """ """ C x 6-8" 8-10" " 8.00 Pine, Mugho- Pinus montana mughus S x 1-2" " 5.00 " Old Mexico- Pinus montezumae S o 2-4" Beds 5.60 Retinospora, Heath- R. ericoides C x 2-4" Beds 5.00 " " " " " " " C xx 2-4" " 5.00 " " " " " " " C xx 8-10" " 5.00 " " " " " " C xx 8-10" " 15.00 " " " " " " C xx 8-10" " 15.00 " " " " " " C xx 8-10" " 15.00 " " " " " C xx 8-10" " 15.00 " " " " " C x 8-10" " 15.00 " " " " " C x 8-6-8" " 15.00 " " " " " C x 8-6-8" " 15.00 " " " " " C x 8-6-8" " 15.00 " " " " " C x 8-6-8" " 15.00 " " " " " C x 8-6-8" " 10.00 " " " " " C x 8-6-8" " 10.00 " " " " " C x 8-6-8" " 10.00 " " " " " " C x 8-10" 10.00 " " " " " " C x 8-10" 10.00 " " " " " C x 8-10" 10.00 " " " " " " C x 8-10" 10.00 " " " " " C x 8-10"	11 11		11	11		C	X	10-12"	11	
" " " Old Mexico - Pinus montezumae S x 1-2" " 5.00 Retinospora, Heath - R. ericoides C x 4-6" Field 8.00 " Moss - R. squarrosa veitchi C xx 10-12" " 20.00 " " " " " " " C xx 8-10" " 15.00 " " " " " " C xx 8-10" " 15.00 " " " " " " C xx 8-10" 18.00 " " " " " " C xx 8-10" 15.00 " " " " " " C xx 8-10" 15.00 " " " " " C xx 8-10" 15.00 " " " " " C xx 8-10" 15.00 " " " " " C xx 8-10" 12.00 " " " " " C xx 8-10" 12.00 " " " " " C xx 8-10" 12.00 " " " " " C xx 8-10" 12.00 " " " " " C xx 8-10" 10.00 " " " " " " C xx 8-10" 18.00 " " " " " " C xx 8-8" 10.00 " " " " " " C xx 8-8" 10.00 " " " " " " C xx 8-8" 10.00 " " " " " " C xx	11 11		Ħ	11					11	
Pine, Mugho- Pinus montana mughus S x 1-2" " 5.00 " Old Mexico- Pinus montezumae S 0 2-4" Beds 5.00 Retinospora, Heath- R. ericoides C x 4-6" Field 8.00 " " " " " 5.00 " Moss- R. squarrosa veitchi C xx 2-4" " 5.00 " " " " " 20.00 " 2-4" " 5.00 " " " " " C xx 8-10" " 18.00 " " " " " C xx 6-8" " 15.00 " " " " " C x 6-8" " 10.00 " " " " " C x 4-6" " 10.00 " " " " " C	11 11		Ħ	11					11	
" Old Mexico- Pinus montezumae S 0 2-4" Beds 5.00 Retinospora, Heath- R. ericoides C x 4-6" Field 8.00 " " " " C x 2-4" " 5.00 " " " " C x 2-4" " 5.00 " " " " C x 2-4" " 5.00 " " " " C x 10-12" " 5.00 " " " " " C x 6-8" " 15.00 " " " " " C x 6-8" " 10.00 " " " " " C x 4-6" " 10.00 " " " " " " " " 10.00 " " "	Pine. Mugho-	Pinus	montana i	mugh	เนร	S			11	
Retinospora, Heath- R. ericoides C x 2-4" " 5.00 " Moss- R. squarrosa veitchi C xx 10-12" " 20.00 " " " " " " " C xx 8-10" " 18.00 " " " " " " C xx 6-8" " 15.00 " " " " " " C x 6-8" " 10.00 " " " " " " C x 6-8" " 10.00 " " " " " " C x 6-8" " 10.00 " " " " " C x 6-8" " 10.00 " " " " " C x 6-8" " 10.00 " " " " " C x 6-8" " 10.00 " " " " " C x 6-8" " 10.00 " " " " " C x 6-8" " 10.00 " " " " " C x 6-8" " 10.00 " " " " " C x 8-10" " 18.00 " " " " " C x 8-10" " 18.00 " " " " " C x 8-10" " 18.00 " " " " " C x 8-10" " 18.00 " " " " " C x 6-8" " 15.00 " " " " " C x 6-8" " 15.00 " " " " " C x 6-8" " 15.00 " " " " " C x 6-8" " 15.00 " " " " " C x 6-8" " 15.00 " " " " " C x 6-8" " 15.00 " " " " " C x 6-8" " 15.00 " " " " " C x 8-10" " 18.00 " " " " " C x 8-10" " 18.00 " " " " " C x 8-10" " 18.00 " " " " " C x 8-10" " 12.00 " " " " " C x 8-10" " 12.00 " " " " " C x 8-10" " 12.00 " " " " " C x 8-10" " 12.00 " " " " " C x 8-10" " 12.00 " " " " " C x 8-10" " 12.00 " " " " " C x 8-10" " 12.00 " " " " " C x 8-10" " 12.00 " " " " " C x 8-10" " 12.00 " " " " " C x 8-10" " 12.00 " " " " " C x 8-10" " 12.00 " " " " " C x 8-10" " 12.00 " " " " " C x 8-10" " 12.00									Beds	
Moss-R. squarrosa veitchi										
	11	Moss-	R. squar	rosa	. veitchi				11	
" " " " " " C xx 6-8" " 15.00 " " " " " " C x 10-12" " 15.00 " " " " " " C x 8-10" " 12.00 " " " " " " C x 6-8" " 10.00 " " " " " " C x 6-8" " 10.00 " " " " " " C x 4-6" " 8.00 " " " " " " C x 8-10" " 18.00 " " " " " C x 8-10" " 18.00 " " " " " C x 8-10" " 18.00 " " " " " C x 8-10" " 18.00 " " " " " C x 6-8" " 15.00 " " Plume, Golden- C. p. aurea C xx 10-12" " 20.00 " " " " " " C x 8-10" " 18.00 " " " " " C x 8-10" " 18.00 " " " " " C x 8-10" " 18.00 " " " " " C x 8-10" " 18.00 " " " " " C x 8-10" " 18.00 " " " " " C x 8-10" " 18.00 " " " " " C x 8-10" " 12.00 " " " " " C x 8-10" " 12.00 " " " " " C x 8-10" " 12.00 " " " " " C x 8-10" " 12.00 " " Threadbranch- R. filifera C x 10-12" " 15.00 " " Threadbranch- R. filifera C x 10-12" " 15.00 " " Threadbranch- R. filifera C x 10-12" " 15.00	11								11	
""""""""""""""""""""""""""""""""""""	11	11	11 11		11				Ħ	
" " " " " " " C x 8-10" " 12.00 " " " " " " C x 6-8" " 10.00 " " " " " " C x 4-6" " 8.00 " " Plume- Cham. pisifera plumosa C x 10-12" " 20.00 " " Plume, Golden- C. p. aurea C xx 10-12" " 20.00 " " Plume, Golden- C. p. aurea C xx 10-12" " 20.00 " " " " " " C x 8-10" " 18.00 " " " " " " C x 8-10" " 18.00 " " " " " C x 6-8" " 15.00 " " 18.00 " " " " " C x 8-10" " 18.00 " " " " " C x 8-10" " 18.00 " " " " " C x 8-10" " 18.00 " " " " " C x 8-10" " 18.00 " " " " " C x 8-10" " 18.00 " " " " " C x 8-10" " 18.00 " " " " " C x 8-10" " 18.00 " " " " " C x 8-10" " 12.00 " " " " " C x 8-10" " 12.00 " " " " " C x 8-10" " 12.00 " " " " " C x 8-10" " 12.00 " " Threadbranch- R. filifera C x 10-12" " 15.00 " " Threadbranch- R. filifera C x 10-12" " 15.00 " " " " " C x 8-10" " 12.00	11	11	11 11		11				ł†	
" " " " " " " C x 6-8" " 10.00 " " " " " " C x 4-6" " 8.00 " " " " " " C x 2-4" " 5.00 " Plume- Cham. pisifera plumosa C x 10-12" " 20.00 " " " " " " C x 8-10" " 18.00 " " " " " C x 6-8" " 15.00 " " Plume, Golden- C. p. aurea C xx 10-12" " 20.00 " " " " " " C x 8-10" " 18.00 " " " " " " C x 8-10" " 18.00 " " " " " " C x 8-10" " 18.00 " " " " " " C x 8-10" " 18.00 " " " " " " C x 8-10" " 18.00 " " " " " " C x 8-10" " 12.00 " " " " " " C x 8-10" " 12.00 " " " " " " C x 8-10" " 12.00 " " " " " " C x 8-10" " 12.00 " " Threadbranch- R. filifera C x 10-12" " 5.00 " " Threadbranch- R. filifera C x 10-12" " 15.00 " " " " " " C x 8-10" " 12.00 " " Threadbranch- R. filifera C x 10-12" " 15.00	n	II	11 11		11				11	
	11	11	11 11		11				11	
## ## ## ## ## ## ## ## ## ## ## ## ##		11	11 11		tt .				11	
Plume - Cham. pisifera plumosa C x 10-12" 20.00 18.00		11	11 11		22				11	
	11	Plume-	Cham. p	isif	era plumosa				17	
Plume, Golden- C. p. aurea C xx 10-12" " 20.00 " " " " " " C xx 8-10" " 18.00 " " " " " " C xx 6-8" " 15.00 " " " " " " C x 4-6" " 12.00 " " " " " " C x 6-8" " 10.00 " " " " " C x 6-8" " 10.00 " " " " " C x 6-8" " 5.00 " Threadbranch- R. filifera C x 10-12" " 15.00 " " " " " C x 6-8" " 10.00	11						\times	8-10"	11	18.00
## ## ## ## ## ## ## ## ## ## ## ## ##	tt	ff.	11	11	11	C	X		11	
11 11 11 11 11 11 18.00 11 11 11 11 11 15.00 11 11 11 11 11 12.00 11 11 11 11 11 12.00 11 11 11 11 11 12.00 11 11 11 11 11 12.00 11 11 11 11 11 11 10.00 11 11 11 11 11 12.00 11 11 11 11 12.00 12 12 13.00 13.00 11 11 11 12.00 13.00 12 12 13.00 13.00 13.00 12 13 13.00 13.00 13.00 13.00 12 13 13.00 13.00 13.00 13.00 13.00 13.00 13.00 13.00 13.00 13.00 13.00 13.00 13.00 13.00 13.00 13.00 </td <td>11</td> <td>Plume,</td> <td>Golden-</td> <td>C.</td> <td>p. aurea</td> <td>C</td> <td>XX</td> <td></td> <td></td> <td></td>	11	Plume,	Golden-	C.	p. aurea	C	XX			
III II II <t< td=""><td>11</td><td>•</td><td></td><td>11</td><td>tt tt</td><td>C</td><td>XX</td><td></td><td></td><td></td></t<>	11	•		11	tt tt	C	XX			
III II II <t< td=""><td>tt .</td><td>11</td><td>11</td><td>17</td><td>11 11</td><td>C</td><td>XX</td><td></td><td></td><td></td></t<>	tt .	11	11	17	11 11	C	XX			
""" """ 10.00 """ """ 10.00 """ """ 8.00 """ """ 5.00 """ Threadbranch- R. filifera C x 10-12" """ 15.00 """ """ 12.00 """ """ 10.00	11	11	11	17	11 11	C	xx			
II <	Ħ	11	Ħ	11	11 11	С	X		11	
" Threadbranch- R. filifera C x 10-12" " 15.00 " C x 8-10" " 12.00 " C x 6-8" " 10.00	tt .	11	Ħ	11	11	C	X			
" Threadbranch- R. filifera C x 10-12" " 15.00 " " " " C x 8-10" " 12.00 " " C x 6-8" " 10.00	II .	II	H	11	11 11	C	X		11	
Threadbranch- R. filifera C x 10-12" " 15.00 C x 8-10" " 12.00 C x 6-8" " 10.00	11	11	11	11	17 17	C	x	2-4"	11	
n n n n C x 8-10" " 12.00 n n n n C x 6-8" " 10.00	11	Threa	dbranch-	R.	filifera		x	10-12"	11	
n n n n n n n n n n	11							8-10"	11	
	11		11	11	11			6-8"	11	
	11		11	13	tı	C	X	4-6"	11	8.00

In this list "C" indicates stock grown from cuttings and "S" from seed. "o" indicates never transplanted, and each "x" one transplanting.

CONIFER	S: Contin	nued.					Times	. Size	From	Price Per 100
Spruce,	Norway-	Picea	excelsa	ì		S	X	2-4"	Field	\$2.00
17	Colorado			ungens	alone	S	X	1-2" 1-2"	11	1.00
11	11	; DIUG	n Treer F	nurgens	grauce	a B S	X	1-2" 1-1"	11	3.00 2.00
71	11	11	11	11	11	S	0	<u>3</u> -1"	Beds	1.00
						Ŋ	O	2 - 1	Deas	1.00
	13	ROAD-L	EAVED	EVERG	REEN T	REE	S AND	SHRUBS		
Aucuba.	Golddust					C	X	8-10"	Field	\$15.00
n	17	11	ับ	11	٠ - د.	C	X	6-8"	11	12.00
11	ŤŤ	11	11	11		C	X	4-6"	11	10.00
11	TT .	11	Ħ	11		\mathbb{C}	X	2-4"	11	8.00
Azalea,	Torch- A	. kaem	pferi			S	77	4-6"	11	12.00
11	17 17		11			S	X	2-4"	11	10.00
- 11	P1 11		11			S	X	1-2"	11	7.00
	y, Darwin		eris da			C	X	8-10"	11	12.00
11	11 11	11		11		C	\times	6-8"	11	10.00
11	**	11		ti		C	X	4-6"		8.00
11			nhoni e		1	G	X	2-4" 6-8"	11	5.00
11	-	.an- be. 1- Berb		buxifol	TIS	C S	X	10-12"	11	10.00 15.00
17	MITSON	ulea -1	SILS WI	. rgonse		ာ S	0	8-10"	Beds	6.00
tr	11	11		11		ട S	0	6-8"	TI DOUB	5.00
t ₁	11	11		11		S	0	4-6"	tt	4.00
Box, Tr	uetree- E	living di	emne ru	arbore	eggeng	C	XX	10-12"	Field	12.00
<i>u</i>	11	ii	ti		1	C	XX	8-10"	11	10.00
21	11	ıt	11	1	1	C	XX	6-8"	11	8.00
11	11	Ħ	27	1	1	Ċ	X	6-8"	11	6.00
tr	11	11	11	1	t	C	X	4-6"	11	4.00
11	11	11	11	1	1	C	x	2-4"	Ħ	3.00
Cotonea	ster Acut	ifolia				S	X	15-18"	11	15.00
tt		11				S	X	12-15"	17	12.00
11		11				S	X	10-12"	11	10.00
11		17				S	X	8-10"	11	8.00
11		11				S	\mathbb{X}	6-8"	F1	6.00
11		17				S	X	4-6"	11	4.00
11 11	77	II				S	X	2-4" 15-18"	11	2.00 15.00
11	Fran	cheti				G G	\mathbf{x}	12-15"	11	12.00
11		11				g	X	10-12"	11	10.00
11		IT				Č	X	8-10"	11	8.00
29		11				C	X	6-8"	11	6.00
11		17				C	X	4-6"	17	4.00
11	Hori	zontal	is			C	X	12-15"	89	12.00
Ħ		11				C	X	10-12"	11	10.00
Ħ		11				C	X	8-10"	11	8.00
11		!1				C	X	6-8"	11	6.00
11		11				C	X	4-6"	9 9	4.00
11		11				C	X	2-4" 2-4"	11	2.00 4.00
11	3	11	_			S	X	2-4" 6-8"	"	6.00
n tı		rophyll	a			C C	X	10-12"	"	10.00
41	Simo	nsı				Ü	X	TO-TE.		10.00

In this list "C" indicates stock grown from cuttings and "S" from seed. "o" indicates never transplanted, and each "x" one transplanting.

Fo. Coloons Set 11 edniki iw Alikeria. and Area a ţ.

. The second of 11.0 mm

BRCAD I	LEAVED EV	ERGREENS:	Continue	d.	7	limes			Price
							. Size	From	Per 100
Daphne,	Winter-	D. odora			C	X	5-4"		\$25.CO
Escallo	onia rubr	a			C	X	18-24"	Field	18.00
11	11				\mathbf{C}	X	15-18"	11	15.00
11	**				C	X	12-15"	11	12.00
11	ff				C	X	10-12"	71	10.00
tî	11				C	X	8-10"	11	8.00
11	11				C	X	6-8"	11	6.00
11	11				\mathbb{C}	X	4-611	TT.	4.00
	,	reen- E.		3	C	$\mathbb{X}\mathbb{X}$	8-10"	11	10.00
11		icus aure	as .		\mathbb{C}	X	10-12"	77	8.00
11	ft				\mathbf{C}	\times	6-8"	11	5.00
		Erica med		l	C	X	8-10"	ff	10.00
11	f†	11	11		\mathbb{C}	X	6-8"	11	8.00
11	Ħ	11	If		\mathbf{C}	X	4-6"	Îī	6.00
11	ff.	11	lt .		\mathbf{C}	\mathbf{x}	2-4"	11	4.00
ff		s- Erica			C	X	8-10"	41	10.00
11	81	11	11	11	C	X	6-8"	††	8.00
11	11	ti	11	11	C	X	4-611	#1	6.00
11	11	If .	II .	11	C	X	2-4"	11	4.00
	ackle- Lo	nicera ni			C	X	10-12"	17	10.00
"		11			C	X	8-10"	11	8.00
- "			11		C	X	6-8"	11	6.00
	_	- Lauroce	rasus off		C	x	15-18"	11	18.00
11	11	11		11	C	X	12-15"	**	15.00
11	11	11		11	C	X	10-12"	17 11	12.00
11	ii fi	"		îî Îî	C	X	8-10"	11	10.00
			• 0 - 7 • -	11	C		6-8"	11	8.00
Uregon	Grape- M	ahonia aq	ullolla		C	X	10-12"	ff .	10.00
it	"	11 11			C	20	8-10" 6-8"	"	8.00
				G = 11.12 G = 1.110	C		15-18"	11	6.00
Privet,	GOLGEII-	Ligustru	M OASTIT.	aureum	C	z Z	12-15"	11	15.00 12.00
17		11	 II	11	d	X X	10-12"	11	10.00
 11		11			C	Σζ Σ	8-10"	ff	8.00
11	11	11	11	11	C	X	6-8"	11	6.00
					U	_^_	0 0		0.00
			DECIDU	JOUS SHR	JBS				
Azalea		- A. moll	is		S	XX		. Beds	\$10.00
ff	11	11 11			S	X	2-4"	Field	8.00
11		11 11			C	X	1-2"	11	5.00
	- K. japo				C	X	12-18"	tf	15.00
		- S. thun			C	X	10-12"	11	10.00
tt	11	**	I† 		C	32	8-10" 6-8"	11	8.00 6.00
11	11		11		C	X	12-18"	11	5.00
11		te-S. va	nnouttei		C C	X	8-10"	11	6.00
	a, Pink-				C	X	12-18"	17	10.00
Tamari	x, Africa	n- T. afr	ıcana		U	X	TV-TO		10.00
				VINES					
Cnoone	a Encelm	ann- Amp.	duinduef		S	14	l year	Beds	\$10.00
or.eebei	Boaton Tangern	ı Ivy- Amp.	el trion	isnidata	S	20	1 "	Field	10.00
	770 2 0 011	الإنتندة الاناسا	01100	Is					

In this list "C" indicates stock grown from cuttings and "S" from seed. "o" indicates never transplanted, and each "x" one transplanting.

FRUIT AND SHADE TREE SEEDLINGS

CLEAN COAST GROWN

Apple " " " " " Pear, Calleryana, French, Japan an	_	8.00 4.00
n therry, Mazzard n n n	1/4" #1, 3/16" & up #2, 2/16" to 3/16" #3, about 2/16" 1/4" #1, 3/16" & up #2, 2/16" to 3/16"	20.00 16.00 12.00 10.00 20.00 16.00
Cherry, Mahaleb """ """ Plum, Myrobolan """ """ Peach, Lovell Seedlings """ Persimmon, De Lotus Seedlings """ Quince, Angiers, Rooted Cuttings	#3, about 2/16" 1/4" #1, 3/16" & up #2, 2/16" to 3/16" #3, about 2/16" 1/4" #1, 3/16" & up #2, 2/16" to 3/16" #3, about 2/16" #1, 3/16" & up #2, 2/16" to 3/16" #1, 3/16" & up #2, 2/16" to 3/16" #1, 3/16" & up #2, 2/16" to 3/16" #1, 3/16" & up	8.00 16.00 12.00 8.00 6.00 16.00 12.00 8.00 6.00 10.00 8.00 20.00
Birch, European White, Betula alba """"""""""""""""""""""""""""""""""	#2, 2/16" to 3/16"	15.00 55.00 45.00 35.00 20.00 20.00 20.00 125.00 100.00 75.00 60.00 50.00

Correspondence invited on quantity orders.

			1.
•			
		•	
- 3 -			
	•		